DATA SHEET - M-FRKBS


Straight Forks for Block Style Holders

Introduction

This simple sample exchange fork can be used in combination with all M-WM40 magnetically driven wobblesticks to manipulate block style sample holders.

The short version is mounted directly onto the shaft of the wobblestick.

Description	Part Code
Straight forks for block style holders	M-FRKBS
Short forks for block style holders	M-FRKBSDM340



Specifications:

Materials

Stainless steel 1.4301

Pin Diameter

1.6mm


Pin Separation


12mm


DATA SHEET - M-FRKBS
Straight Forks for Block Style Holders

LEWVAC
Quality Components For Vacuum Technology

LewVac Components Ltd., Unit F2, Ote Hall Farm, Janes Lane, Burgess Hill, RH15 0SR
Tel : +44 (0)1444 233372, Fax : +44 (0)1444 233392
E-mail : sales@lewvac.co.uk Web : www.lewvac.co.uk







Ra 1.6 (√)

+0.2 +0.1 -0.1 -0.2

Allgemeintoleranzen ISO 2768-K

Material: 1.4301

Straight Sample Fork for


Block Style Sampleholders


Nennmass	über	1	6	30	100	300	1000
	bis	6	30	100	300	1000	2000
Toleranz	±	0.05	0.1	0.3	0.5	0.8	1.2


Massstab	gezeichnet	von Gunten
2:1	Datum	12.05.2009
	geändert	2.6.2010 UM

Ferrovac GmbH
CH-8050 Zürich

FRKBS







Ra 1.6 (√) +0.2 +0.1 -0.1 -0.2

Allgemeintoleranzen ISO 2768-K

Material: 1.4301

Straight Sample Fork for Block Style Sampleholders

Nennmass	über	1	6	30	100	300	1000
	bis	6	30	100	300	1000	2000
Toleranz	±	0.05	0.1	0.3	0.5	0.8	1.2

Massstab	gezeichnet	U. Maier
2:1	Datum	1.10.2010
	geändert	22.03.11 DR

Ferrovac GmbH
CH-8050 Zürich

FRKBSDM